



TruTool PN 201 Li-ion battery

18 V

Technical data

TruTool PN 201 Li-ion battery 18 V

MAXIMUM SHEET THICKNESSES

| | |
|---|--------|
| MAXIMUM SHEET THICKNESS, STEEL 400 N/MM ² | 2 mm |
| MAXIMUM SHEET THICKNESS, STEEL 600 N/MM ² | 1.5 mm |
| MAXIMUM SHEET THICKNESS, STEEL 800 N/MM ² | 1 mm |
| MAXIMUM SHEET THICKNESS, ALUMINUM UP TO 250 N/MM ² | 3 mm |

RADII

| | |
|-----------------|-------|
| SMALLEST RADIUS | 50 mm |
|-----------------|-------|

GENERAL

| | |
|-----------------------------|------------|
| WORKING SPEED | 1.6 m/min |
| STROKE RATE DURING IDLE RUN | 1200 1/min |
| STARTING HOLE DIAMETER | 24 mm |
| VOLTAGE | 18 V |

WEIGHT

| | |
|---|--------|
| WEIGHT (WITH 2 AH RECHARGEABLE BATTERY) | 2.2 kg |
| WEIGHT (WITH 4 AH RECHARGEABLE BATTERY) | 2.5 kg |